

	<b>Trutek Astro</b>	
	<b>Woodpecker Cottage</b>	
	<b>Red Lane</b>	
	<b>Aldermaston</b>	
	<b>RG7 4PA</b>	
	<b>Tel: 01189 700 777</b>	<b>UK Price</b>
	<b>Web: <a href="http://www.trutekastro.co.uk">www.trutekastro.co.uk</a></b>	<b>£</b>
	<b>email: <a href="mailto:sales@trutekastro.co.uk">sales@trutekastro.co.uk</a></b>	
	<b>Takahashi Telescopes and Mounts</b>	
	<b>Price List March 2018</b>	
	<b>Apo refractors tube assemblies</b>	
<b>TSK06200</b>	FS-60CB tube assembly complete D-60mm F-355mm F/5.9	<b>842</b>
	TSK06210 FS-60CB (OTA) tube only with 31.75 adapter	
	TKA00551 Finder 6 x 30	
	TKA00562 Finder bracket	
	TKA20420 Tube holder	
<b>TSK06210</b>	FS-60CB (OTA) tube only with 31.75 adapter	<b>614</b>
<b>TSK06211</b>	Tube to convert FS-60C to FS-60CB	<b>118</b>
<b>TSK06300NR</b>	FS-60Q tube assembly complete D-60mm F-600mm F/10	<b>1122</b>
	TSK06310 FS-60Q (OTA) tube only with 31.75 adapter	
	TKA00551 Finder 6 x 30	
	TKA00562 Finder bracket	
	TKA20420Q Tube holder	
<b>TSK06310</b>	FS-60Q (OTA) tube only with 31.75 adapter	<b>878</b>
<b>TKA20595</b>	FS-60CB to FS-60Q upgrade kit (extender CQ 1.7x)	<b>272</b>
<b>TFA06000</b>	FOA-60 tube assembly complete D-60mm F-530mm F/8.4	<b>1362</b>
	TFA06010 FOA-60 (OTA) tube only with 50.8/31.75 adapter	
	TKA00551 Finder 6 x 30	
	TKA00562 Finder bracket	
	TKA02420G Tube holder	
<b>TFA06010</b>	FOA-60 OTA tube only	<b>1085</b>
<b>TFA06100</b>	FOA-60Q tube assembly complete D-60mm F-900mm F/15	<b>1573</b>
	TFA06110 FOA-60 (OTA) tube only with 50.8/31.75 adapter	
	TKA00551 Finder 6 x 30	
	TKA00562 Finder bracket	
	TKA02420G Tube holder	
<b>TFA06110</b>	FOA-60Q OTA tube only	<b>1297</b>
<b>TKA28595</b>	FOA-60 to FOA-60Q upgrade kit (extender R 1.7x)	<b>533</b>
<b>TFK07600</b>	FC-76DS tube assembly complete D-76mm F-570mm F/7.5 (fluorite doublet)	<b>1696</b>
	Retractable lens shade with :	
	TFK07610 FC-76DS (OTA) tube only with 50.8/31.75 adapter	
	TKA00551 Finder 6 X 30	
	TKA00562 Finder bracket	
	TKA21420 Tube holder (95mm)	

<b>TFK07610</b>	FC-76DS (OTA) tube only with 50.8/31.75 adapter	<b>1455</b>
<b>TFK07640C</b>	FC-76DCU tube assembly complete D-76mm F-570mm F/7.5 (fluorite doublet) TFK07640 FC-76DCU (OTA) tube only with 31.75 adapter TKA00551 Finder 6 X 30 TKA00562 Finder bracket TKA20420Q Tube holder	<b>1404</b>
<b>TFK07640</b>	FC-76DCU (OTA) tube only with 31.75 adapter (fixed dew shield) tube diameter : 80mm (instead of 95mm for FC-76DS)	<b>1167</b>
<b>TFK07650</b>	Objective unit upgrade FS-60CB to FC-76DCU	<b>873</b>
<b>TQE08540</b>	FSQ-85EDX tube assembly complete D-85mm F-450mm F/5.3 TQE08541 FSQ-85EDX (OTA) tube only with 50.8/31.75 adapter TKA37582 Flattener 1.01x TKA23250 Aux. Ring (FB) n°50 TKA00551 Finder 6 x 30 TKA00562 Finder bracket TKA21420S Tube holder with off-set plate	<b>3063</b>
<b>TQE08541</b>	FSQ-85EDX (OTA) tube only with 50.8/31.75 adapter TKA37582 Flattener 1.01x TKA23250 Aux. Ring (FB) n°50	<b>29</b>
<b>TFK10000</b>	FC-100DC tube assembly complete D-100mm F-740mm F/7.4 TFK10010 FC-100DC (OTA) tube only with 31.75 adapter TKA00551 Finder 6 X 30 TKA00562 Finder bracket TKA21420 Tube holder (95mm)	<b>1987</b>
<b>TFK10010</b>	FC-100DC (OTA) tube only with 31.75 adapter	<b>1746</b>
<b>TFK10100</b>	FC-100DF tube assembly complete D-100mm F-740mm F/7.4 TFK10110 FC-100DF (OTA) tube only with 50.8/31.75 adapter TKA00551 Finder 6 X 30 TKA00562 Finder bracket TKA21420 Tube holder (95mm)	<b>2223</b>
<b>TFK10110</b>	FC-100DF (OTA) tube only with 50.8/31.75 adapter	<b>1981</b>
<b>TFK10200</b>	FC-100DL tube assembly complete D-100mm F-900mm F/9 (limited edition) TFK10210 FC-100DL (OTA) tube only with 50.8/31.75 adapter TKA00551 Finder 6 X 30 TKA00562 Finder bracket TKA19420G Symmetric tube holder (95mm)	<b>2556</b>
<b>TFK10210C</b>	FC-100DL tube with tube holder (without finder)	<b>2414</b>
<b>TQE10640</b>	FSQ-106EDX4 tube assembly complete D-106mm F-530mm F/5 TQE10641 FSQ-106EDX4 (OTA) tube only with 31.75 adapter MEF-3 micro focuser and external camera angle adjuster, 4" focuser TKA00552 Finder 7 X 50 TKA00563 Finder bracket TKA29420S Tube holder with aux. balancing plate TKP38003 Coupling n° 8L for focal reducer	<b>4969</b>
<b>TQE10641</b>	FSQ-106EDX4 (OTA) tube only with 31.75 adapter MEF-3 micro focuser and external camera angle adjuster, 4" focuser TKP38003 Coupling n° 8L for focal reducer	<b>4425</b>

<b>TTK12000</b>	TSA-120 tube assembly complete D-120mm F-900mm F/8 Triplet Super Apochromat with retractable dew shield TTK12010 TSA-120 (OTA) tube only with 50.8/31.75 adapter TKA00552 Finder 7 X 50 TKA00563 Finder bracket TKA36420 tube holder	<b>3832</b>
<b>TTK12010</b>	TSA-120 (OTA) tube only with 50.8/31.75 adapter Retractable dew shield	<b>3348</b>
<b>TTK12050</b>	TSA-120 <b>Feather Touch</b> (OTA) tube only with 50.8 adapter Retractable dew shield	<b>4004</b>
<b>TOK13000</b>	TOA-130NS tube complete D-130mm F-1000mm F/7.7 with 50.8/31.75 Triplet Ortho - Apochromat and retractable lens shade TOK13010 TOA-130NS (OTA) tube only with 50.8/31.75 adapter TKA00552 Finder 7 X 50 TKA00563 Finder bracket TKA27430 Balancing cradle TKA31420 Tube holder	<b>5340</b>
<b>TOK13010</b>	TOA-130NS (OTA) tube only with 50.8/31.75 adapter TKA27430 Balancing cradle	<b>4721</b>
<b>TOK13200</b>	TOA-130NFB tube complete D-130mm F-1000mm F/7.7 with 50.8/31.75 Triplet Ortho - Apochromat with retractable lens shade and 4" focuser TOK13210 TOA-130NFB (OTA) tube only TKA30200 Camera angle adjuster TKA00552 Finder 7 X 50 TKA00563 Finder bracket TKA31420 Tube holder	<b>6499</b>
<b>TOK13210</b>	TOA-130NFB (OTA) tube only with 50.8/31.75 adapter Retractable lens shade, 4" focuser and camera angle adjuster	<b>5897</b>
<b>TQE13000</b>	FSQ-130ED tube assembly complete D-130mm F-650mm F/5 Flat field Super low dispersion Quintuplet apochromat Retractable lens shade, 5" focuser, camera angle adjuster, microfocuser TQE13010 FSQ-130ED (OTA) tube only with 50.8/31.75 adapter TKA00552 Finder 7 X 50 TKA00563 Finder bracket TKA27420T Dual tube holder with top plate	<b>11571</b>
<b>TQE13010</b>	FSQ-130ED (OTA) tube only with 50.8/31.75 adapter Retractable lens shade, 5" focuser, camera angle adjuster, microfocuser	<b>10670</b>
<b>TOK15100</b>	TOA-150B tube complete D-150mm F-1100mm F/7.3 with 50.8/31.75 Triplet Ortho - Apochromat with retractable lens shade 4" focuser and camera angle adjuster TOK15110 TOA-150B (OTA) tube only with 50.8/31.75 adapter TKA00552 Finder 7 X 50 TKA00563 Finder bracket TKA00417 Finder quick release FQR-1 TKA32420 Dual tube holder with top plate	<b>11418</b>
<b>TOK15110</b>	TOA-150B (OTA) tube only with 50.8/31.75 adapter Retractable lens shade, 4" focuser and camera angle adjuster	<b>10691</b>

<b>Epsilon 130 / 180-ED tube assembly</b>		
<b>TEK13000</b>	Epsilon 130D tube assembly complete D-130mm F-430mm F/3.3	<b>2558</b>
	TEK13010 Epsilon 130D (OTA) tube only with 31.75 eyepiece holder	
	TKA00551B Finder 6 X 30 black	
	TKA00562B Black finder bracket	
	TKA69420S Tube holder (double) with top plate	
<b>TEK13010</b>	Epsilon 130D (OTA) tube only	<b>2100</b>
<b>TEK18000S</b>	Epsilon 180-ED tube assembly complete D-180mm F-500mm F/2.8	<b>4357</b>
	TEK18010 Epsilon-180 (OTA) tube only with 31.75 eyepiece holder	
	TKA00552Y Finder 7 X 50 orange	
	TKA00563B Black finder bracket	
	TKA68420S Tube holder (double) with top plate to be used with TMP02300	
<b>TEK18010</b>	Epsilon 180-ED (OTA) tube only	<b>3762</b>
<b>Mewlon tube assemblies</b>		
<b>TLK18100</b>	Mewlon-180C tube assembly with 50.8/31.75 adapter	<b>1712</b>
	D-180mm F-2160mm F/12 with :	
	TLK18110 Mewlon-180 and 6 X 30 integrated finder	
	TKP70422 Dove-tail adapter (female)	
<b>TLK21000NR</b>	Mewlon-210 tube assembly with 50.8/31.75 adapter	<b>2667</b>
	D-210mm F-2415mm F/11.5 with :	
	TLK21010 Mewlon-210 and 7 X 50 integrated finder	
	TKP71422 Dove-tail adapter (female)	
<b>Mewlon-CRS series</b>		
<b>TLK25400NR</b>	Mewlon 250 CRS tube assembly with 50.8/31.75 adapter with cradles	<b>6528</b>
	D-250mm F-2500mm F/10 with :	
	Electrical focuser	
	TLK25410 Mewlon-250 CRS and 7 X 50 integrated finder	
	TKA84420 Cradles (280 WC) with top plate	
	TKA84421 CW plate	
<b>TLK30300</b>	Mewlon 300 CRS tube assembly with 50.8/31.75 adapter	<b>12948</b>
	D-300mm, F-2960mm, F/9.9 with:	
	Electrical focuser	
	TLK30310 Mewlon-300 CRS	
	TKA00552 Finder 7 X 50	
	TKA00563 Finder bracket	
	TKA00554 Finder reticle illuminator	
	TKA85420 Dual tube holder with top plate	
<b>CCA-250 Astrograph</b>		
<b>TCK25000</b>	CCA-250 tube assembly complete	<b>11721</b>
	D-250mm, F-1247mm, F/5 with:	
	Electrical focuser	
	TCK25010 CCA-250 (OTA) with Dovetail male and female (Losmandy type)	
	TKA00552 Finder 7 X 50	
	TKA00569 Finder bracket	
	TKA00554 Finder reticle illuminator	
	TKP75422 Female dovetail Losmandy type	
<b>Equatorial mounts</b>		

<b>TTM23000</b>	PM-1 mount with RA motor, hand control box, polar scope, ctw 1.4kg	<b>1784</b>
	<b>Accessories for PM-1</b>	
<b>TTM23010</b>	Planet Fork system set for PM-1 (contains parts 50/51/52/53)	<b>390</b>
<b>TTM23001</b>	Altazimuth adapter n°54 for PM-1	<b>64</b>
<b>TTM23002</b>	Camera platform n°55 for PM-1	<b>37</b>
<b>TTM23004</b>	P-Light illuminator n°57 for polar finder ( P-2Z / EM-1S / EM-2 / NJP / PM-1 )	<b>85</b>
<b>TTM25010</b>	PM-SP mount with RA motor, hand control box, polar scope	<b>1053</b>
	<b>Accessories for PM-SP</b>	
<b>TDA25010</b>	Female dovetail for PM-SP mount	<b>107</b>
<b>TSP25010</b>	SP plate 300 for PM-SP mount	<b>127</b>
<b>TPS25010</b>	Counterweight shaft + 0.6kg counterweight for PM-SP	<b>163</b>
<b>TRL25010</b>	Bubble level for PM-SP	<b>55</b>
<b>TPL25010</b>	P-Light illuminator for PM-SP polar scope	<b>87</b>
<b>TSP03000</b>	DEC part with slow motion for PM-SP	<b>145</b>
<b>TKP73434</b>	Counterweight 0.6Kg for PM-SP (TG-SP)	<b>39</b>
<b>TAD25010</b>	1/4" to 3/8" tripod adapter	<b>48</b>
<b>TTM34000</b>	EM-11 FG-Temma-2Z Goto w/o tripod adapter	<b>3006</b>
	Motors in RA and DEC, illuminated polar finder, ring level, encoders (maximum speed for motors : with 12V 150X)	
	TTM34010 FG-EM-11 Temma-2Z mount	
	TTT02100 Pegasus 21 (remote control software for PC)	
	TRS02320 PC connector	
	TCW01800 Counterweight 3.5Kg	
<b>TTM44000</b>	EM-200 FG-Temma-2Z Goto	<b>4434</b>
	RA/DEC motors, illuminated polar finder and ring level, encoders (maximum speed for motors : with 12V 700X)	
	TTM44010 EM-200 FG-Temma-2Z mount	
	TRS02320 PC connector	
	TCW02300 Counterweight 5Kg X 2	
<b>TTM44100</b>	EM-200 FG-Temma-2ZBL with long weight shaft	<b>4566</b>
	<b>weight shaft not retractable</b>	
	TTM44110 EM-200 FG-Temma-2ZBL mount	
	TRS02320 PC connector	
	TCW02300 Counterweight 5Kg X 2	
<b>TTM64000</b>	EM-400 FG-Temma-2Z Goto	<b>7540</b>
	RA/DEC motors, illuminated polar finder and ring level, encoders (maximum speed for motors : with 12V 500X)	
	TTM64010 EM-400 FG-Temma-2Z mount	
	TTT02100 Pegasus 21 (remote control software for PC)	
	TRS02320 PC connector	
	TCW02500 Counterweight 8Kg X 2	
<b>TTM74100</b>	EM-500 Temma-2Z Goto	<b>11614</b>
	illuminated polar finder and ring level Maximum speed : with 12V 560X	
	TTM74110 EM-500 Temma-2Z mount	
	TTT02100 Pegasus 21 (remote control software for PC)	
	TRS02320 PC connector	
	TCW02400 Counterweight 10 Kg X 2	
	<b>ACCESSORIES :</b>	

	<b>RS232 cable</b>	
<b>TRS02320</b>	RS232 cable TEMMA/PC	<b>93</b>
	<b>Autoguiding cables for mounts prior to Temma 2M (USD/USD3/Temma2 Jr/Temma2)</b>	
<b>TAC03007</b>	Autoguiding cable (DB15)	<b>98</b>
<b>TAC03008</b>	Autoguiding cable ST7 for (DB9)	<b>98</b>
<b>TAC03009</b>	Autoguiding cable STV	<b>98</b>
<b>TAC03010</b>	Autoguiding cable ST4 port (RJ12)	<b>98</b>
	<b>Autoguiding cables for Temma 2M mounts</b>	
<b>TAC03002</b>	Autoguiding cable (DB15) Temma 2M	<b>118</b>
<b>TAC03003</b>	Autoguiding cable ST7 for (DB9) Temma 2M	<b>118</b>
<b>TAC03004</b>	Autoguiding cable STV Temma 2M	<b>118</b>
<b>TAC03005</b>	Autoguiding cable ST4 port (RJ12) Temma 2M	<b>118</b>
	<b>Wooden tripods supplied with tripod adapter</b>	
<b>TWT30010</b>	Wooden tripod ( SE-S ) for EM-200 mount (height : 66cm)	<b>592</b>
<b>TWT30020</b>	Wooden tripod(SE-M) for EM-200 mount (height : 94cm)	<b>673</b>
<b>TWT30030</b>	Wooden tripod (SE-L) for EM-200 mount (height : 114cm)	<b>698</b>
<b>TWT30040</b>	Wooden tripod (SE-LL) for EM-200 mount (height : 127cm)	<b>734</b>
<b>TWT50010</b>	Wooden tripod (SR-S) for EM-400 / JP-Z (height : 65cm)	<b>610</b>
<b>TWT50020</b>	Wooden tripod (SR-M) for EM-400 / JP-Z (height : 93cm)	<b>766</b>
<b>TWT50030</b>	Wooden tripod (SR-L) for EM-400 / JP-Z (height : 113cm)	<b>795</b>
<b>TWT50040</b>	Wooden tripod (SR-LL) for EM-400 / JP-Z (height : 126cm)	<b>878</b>
	<b>Metal tripod (supplied with tripod adapter)</b>	
<b>TMT10200</b>	Metal tripod adjustable MT-S for PM-1 mount (height : 42-66cm)	<b>537</b>
<b>TMT30020</b>	Metal tripod for EM-11/EM-200 (height : 64-101cm)	<b>890</b>
<b>TMT50300</b>	Metal tripod for NJP (height : 78-119cm) weight capacity : 100kg	<b>1960</b>
<b>TMT70300</b>	Metal tripod for EM-400/JP-Z (height :79-121cm) weight capacity : 100kg	<b>1937</b>
<b>TMT60300</b>	Metal tripod for EM-500 (height :79-119cm) weight capacity : 100kg	<b>1972</b>
	<b>Tripod adapters</b>	
<b>TSM02000</b>	Tripod adapter for P2Z	<b>54</b>
<b>TSM04100</b>	Tripod adapter for EM-11 with turntable (EM-2/EM-10 compatible)	<b>188</b>
<b>TSM05000</b>	Tripod adapter for EM-200	<b>121</b>
<b>TSM06000</b>	Tripod adapter for NJP	<b>129</b>
<b>TSM07000</b>	Tripod adapter for EM-400/JP-Z (for use with SR tripods)	<b>226</b>
<b>TMT10210</b>	P2Z tripod adapter for MT-S	<b>87</b>
<b>TMT10220</b>	Teegul Sky Patrol tripod adapter for MT-S	<b>75</b>
<b>TMT10230</b>	1/4 inch tripod adapter for MT-S	<b>69</b>
<b>TMT10240</b>	3/8 inch tripod adapter for MT-S	<b>73</b>
<b>TMT10250</b>	EM11 tripod adapter for MT-S	<b>96</b>
	<b>Pier-stands</b>	
<b>TMP30010</b>	Pier-stand SE-S for EM-200 (height : 70cm)	<b>1146</b>
<b>TMP30030</b>	Pier-stand SE-L for EM-200 (height : 118cm)	<b>1335</b>
<b>TMP30040</b>	Pier-stand SE-LL for EM-200 (height : 133cm)	<b>1398</b>
<b>TMP40010</b>	Pier-stand J-S for NJP (height : 66cm)	<b>1146</b>
<b>TMP40030</b>	Pier-stand J-L for NJP (height : 114cm)	<b>1594</b>

<b>TMP40040</b>	Pier-stand J-LL for NJP (height : 129cm)	<b>1927</b>
<b>TMP50010</b>	Pier-stand SQ-S for EM-500 (height : 52cm)	<b>1388</b>
<b>TMP50030</b>	Pier-stand SQ-L for EM-500 (height : 102cm)	<b>1522</b>
<b>TMP70010</b>	Pier-stand SR-S for EM-400 / JP-Z (height : 62cm)	<b>1032</b>
<b>TMP70030</b>	Pier-stand SR-L for EM-400 / JP-Z (height : 110cm)	<b>1359</b>
<b>TMP70040</b>	Pier-stand SR-LL for EM-400 / JP-Z (height : 125cm)	<b>1471</b>
	<b>Tripod extension</b>	
<b>TMT10260</b>	Extension (21,6cm) for metal tripod MT-S	<b>118</b>
<b>TTE05100</b>	Extension SE (26cm) for EM-2/10/200	<b>397</b>
	<b>Bubble levels</b>	
<b>TBL02000</b>	Bubble level for P-2Z / NJP mounts	<b>55</b>
<b>TBL03000</b>	Bubble level for EM11 T2Z	<b>53</b>
	<b>Plates</b>	
<b>TFK22100</b>	Band adapter for NJP/JPZ/EM400	<b>96</b>
<b>TMP02100</b>	Accessory mounting plate L (220 X 298) for EM400	<b>325</b>
<b>TMP02200</b>	Accessory mounting plate M (178 X 220) for EM-200	<b>161</b>
<b>TMP02300</b>	Accessory mounting plate S (128 x 220) for EM-2/EM-10	<b>107</b>
<b>TMP02400</b>	Flat Plate 120mmx180mm	<b>96</b>
<b>TMP01040</b>	Accessory plate (Match plate) (S) 90mmx230mm	<b>108</b>
	<b>Cradles (single)</b>	
<b>TKA20420</b>	Cradle for FS-60 (diameter 80mm)	<b>111</b>
<b>TKA20420Q</b>	Tube holder for FC-76DC / FS-60Q (80mm)	<b>122</b>
<b>TKA21420</b>	Cradle for FS-78/Sky-90/FSQ-85EDX (diameter 95mm)	<b>127</b>
<b>TKA21420S</b>	Cradle for FSQ-85EDX with off-set plate	<b>217</b>
<b>TKA37421</b>	Off-set plate for FSQ-85EDX cradle	<b>107</b>
<b>TKA23420</b>	Cradle for FS-102/TSA-102/FSQ-106 (diameter 114mm)	<b>152</b>
<b>TKA29420S</b>	Cradle for FSQ-106ED with aux. balancing plate (diameter 125mm)	<b>301</b>
<b>TKA36420</b>	Cradle for FSQ-106ED/TSA-120 (without aux. bal. plate) (diameter 125mm)	<b>230</b>
<b>TKA36421</b>	Aux. balancing plate for FSQ-106ED cradle	<b>127</b>
<b>TKA31420</b>	Cradle for TOA-130NS/F (diameter 156mm)	<b>382</b>
	<b>Tube rings (pair)</b>	
<b>TKA29420M</b>	Ttube rings for TSA-120 with top plate for use on TMP02200	<b>355</b>
<b>TKA36420W</b>	Tube rings for FSQ-106ED with top plate	<b>355</b>
<b>TKA36421W</b>	Bottom plate W for FSQ-106ED tube rings TKA36420W	<b>231</b>
<b>TKA27420M</b>	Tube rings FS-152/TOA-130NS/F (diameter 156mm) for use on TMP02200	<b>399</b>
<b>TKA27420T</b>	Tube rings FS-152/TOA-130/FSQ130ED (diameter 156mm) for use on TMP0210	<b>382</b>
<b>TKA69420S</b>	Tube rings for Epsilon 130 (diameter 166mm)	<b>336</b>
<b>TKA32420</b>	Tube rings for TOA-150 (diameter 179mm) with top plate for use on TMP02100	<b>468</b>
<b>TKA68420S</b>	Tube rings for Epsilon 180 (diameter 232mm) for use on TMP02300	<b>355</b>
<b>TKA68420M</b>	Tube rings for Epsilon 180 (diameter 232mm) for use on TMP02200	<b>355</b>
<b>TKA84420</b>	Tube rings for Mewlon 250CRS (diameter 280mm for WC plate)	<b>452</b>
<b>TKA84421</b>	WC Plate for Mewlon 250CRS (for use on EM400)	<b>216</b>
<b>TKA65420</b>	Tube rings for Mewlon-300 / FRC-300 (diameter 324mm)	<b>1013</b>
<b>TKA85420</b>	Tube rings for Mewlon 300CRS (diameter 324mm)	<b>1010</b>
	<b>Symmetric tube rings for GT-40</b>	
<b>TKA02420G</b>	Symmetric cradle for FOA-60/FOA-60Q (diameter 68mm)	<b>159</b>
<b>TKA20420G</b>	Symmetric cradle for FS-60/FC-76DC (diameter 80mm)	<b>151</b>
<b>TKA21420G</b>	Symmetric cradle for FC-76DS/FSQ-85EDX (diameter 95mm)	<b>147</b>

<b>TKA19420G</b>	Symmetric cradle for FC-100DL (diameter 95mm)	<b>176</b>
<b>TKA23420G</b>	Symmetric cradle for FS-102/TSA-102 (diameter 114mm)	<b>209</b>
<b>TKA36420G</b>	Symmetric cradle for FSQ-106ED/TSA-120 (w/o aux. bal. plate) (125mm)	<b>257</b>
<b>TKA31420G</b>	Symmetric cradle for TOA-130NS/NFB (diameter 156mm)	<b>346</b>
	<b>Accessory holder ring</b>	
<b>TKA21430</b>	Accessory holder ring for FSQ-85/Sky-90 (95mm)	<b>145</b>
<b>TKA23430</b>	Accessory holder ring for TSA-102 (114mm)	<b>155</b>
<b>TKA36430</b>	Accessory holder ring for FSQ-106ED/TSA-120 (125mm)	<b>188</b>
<b>TKA27430</b>	Accessory holder ring for TOA-130/FS-152 (156mm)	<b>259</b>
<b>TKA31430</b>	Balancing ring for TOA-130NS (156mm)	<b>256</b>
	<b>Dove-tail adapters</b>	
<b>TKP70422</b>	Dove tail female for Mewlon 180	<b>134</b>
<b>TKP71422</b>	Dove tail female for Mewlon 210	<b>165</b>
<b>TKP71423</b>	Dove tail male for Mewlon 210	<b>30</b>
<b>TKP75422</b>	Female dovetail Losmandy type for CCA-250	<b>433</b>
	<b>Counterweights</b>	
<b>TKP73434</b>	Counterweight 0.6Kg for PM-SP (TG-SP)	<b>40</b>
<b>TCW01500</b>	Counterweight 1.4Kg for EM-2/EM-10/PM-1	<b>60</b>
<b>TCW01600</b>	Counterweight 2.1Kg for EM-2/EM-10/EM-200 mounts	<b>70</b>
<b>TCW01800</b>	Counterweight 3.5Kg for EM-2/EM-10/EM-200 mounts	<b>94</b>
<b>TCW02000</b>	Counterweight 4.6Kg for EM-2/EM-10/EM-200 mounts	<b>113</b>
<b>TCW02300</b>	Counterweight 5Kg for EM-200 mount	<b>167</b>
<b>TCW02500</b>	Counterweight 8Kg for EM-400/JP-Z mount	<b>260</b>
<b>TCW02400</b>	Counterweight 10Kg for EM-500 mount	<b>309</b>
<b>TKP72432</b>	Counterweight 0.4Kg for Mewlon 250	<b>75</b>
<b>TKP72433</b>	Counterweight 1.1Kg for Mewlon 250	<b>89</b>
<b>TKP73433</b>	Counterweight 1.4Kg for Mewlon 300	<b>66</b>
	<b>Collimation tools</b>	
<b>TKA00441</b>	Collimating eyepiece 31.75	<b>42</b>
<b>TKA00443</b>	Collimating Scope	<b>165</b>
<b>TKA00442</b>	Collimating tube for Newtonian	<b>40</b>
	<b>Eyepieces</b>	
<b>TKA00520</b>	Eyepiece LE 5mm 31.75 (52°)	<b>190</b>
<b>TKA00521</b>	Eyepiece LE 7.5mm 31.75 (52°)	<b>190</b>
<b>TKA00528</b>	Eyepiece LE 10mm 31.75 (52°)	<b>172</b>
<b>TKA00522</b>	Eyepiece LE 12.5mm 31.75 (52°)	<b>172</b>
<b>TKA00523</b>	Eyepiece LE 18mm 31.75 (52°)	<b>172</b>
<b>TKA00524</b>	Eyepiece LE 24mm 31.75 (52°)	<b>181</b>
<b>TKA00525</b>	Eyepiece LE 30mm 31.75 (52°)	<b>181</b>
<b>TKA00529</b>	Eyepiece LE 40mm 50.8 (52°)	<b>297</b>
<b>TKA00531</b>	Eyepiece new LE 50mm (52°) 50.8	<b>404</b>
<b>TKA00613</b>	Eyepiece TOE 2.5mm 31.75 (52°)	<b>258</b>
<b>TKA00614</b>	Eyepiece TOE 3.3mm 31.75 (52°)	<b>258</b>
<b>TKA00615</b>	Eyepiece TOE 4mm 31.75 (52°)	<b>258</b>
<b>TKA00610</b>	Eyepiece Abbe 4mm 31.75 (44°)	<b>145</b>
<b>TKA00604</b>	Eyepiece Abbe 6mm 31.75 (44°)	<b>121</b>
<b>TKA00605</b>	Eyepiece Abbe 9mm 31.75 (44°)	<b>121</b>
<b>TKA00606</b>	Eyepiece Abbe 12.5mm 31.75 (44°)	<b>121</b>



<b>TKA00607</b>	Eyepiece Abbe 18mm 31.75 (44°)	<b>133</b>
<b>TKA00608</b>	Eyepiece Abbe 25mm 31.75 (44°)	<b>133</b>
<b>TKA00609</b>	Eyepiece Abbe 32mm 31.75 (44°)	<b>176</b>
<b>TKA00611</b>	Eyepiece Erfle 28mm 31.75 (60°)	<b>205</b>
<b>TKA00600</b>	Eyepiece TAK-3.3UW 3.3mm 31.75 (90°) 10 elements	<b>485</b>
<b>TKA00601</b>	Eyepiece TAK-5.7UW 5.7mm 31.75 (90°) 10 elements	<b>485</b>
<b>TKA00602</b>	Eyepiece TAK-7UW 7mm 31.75 (90°) 8 elements	<b>419</b>
<b>TKA00603</b>	Eyepiece TAK-10UW 10mm 31.75 (90°) 8 elements	<b>419</b>
	<b>Diagonal Prisms</b>	
<b>TKA00547</b>	Diagonal prism MC 31.75	<b>85</b>
<b>TKA00543</b>	Diagonal mirror 50.8 with 31.75 adapter DM	<b>366</b>
	<b>Turret eyepiece adapter</b>	
<b>TKA00404</b>	Turret for 4 eyepieces 31.75 (50.8 on telescope side)	<b>516</b>
<b>TKA00105</b>	Extension tube 35mm 50.8 (S) for turret required for FC76DS-FSQ85EDX-FSQ106ED-FSQ130ED-Mewlon250/300CRS	<b>101</b>
	<b>Eyepiece holders</b>	
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKA21110</b>	Eyepiece holder 50.8 (FS-60C/FS-78)	<b>54</b>
<b>TKP27110S</b>	Eyepiece holder 50.8 (FSQ-106EDX4 / FSQ-85EDX) n°70S	<b>54</b>
<b>TKA00105</b>	Extension tube 35mm 50.8 (S) for turret	<b>101</b>
<b>TKP27112</b>	Extension tube 62mm 50.8 n°71	<b>40</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKP00110</b>	50.8 Sleeve adapter ( n°70 ) for Mewlon/CN-212	<b>61</b>
<b>TKA70110</b>	50.8 adapter short (TV) for twin viewer n°69	<b>46</b>
<b>TKA00103</b>	Adapter 31.75 / 24.5	<b>43</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKA00104</b>	50.8 to 31.75 adapter with 31.75 clamp ring eyepiece holder	<b>101</b>
	<b>Micro Edge Focusers</b>	
<b>TKA00733</b>	Micro Edge Focuser 1/7 MEF-3 for : FS-60C / FS-78 / Sky-90 / FS-102 / TSA-102 / FS-128 / FS-152N / TOA-130NS/ E-180 / Mewlon with Universal rack & pinion focuser TKA00700	<b>217</b>
<b>TKA00734</b>	Micro Edge Focuser 1/7 MEF-4 for : FSQ-106 / FS-128F / FS-152 / TOA-130F / FCT series	<b>217</b>
	<b>Finders</b>	
<b>TKA00571</b>	Finder Quick Release FQR-1	<b>89</b>
<b>TKA00571B</b>	Black Finder Quick Release FQR-1B for Epsilon 180	<b>89</b>
<b>TKA00551</b>	Finder 6 X 30 (8°)	<b>111</b>
<b>TKA00551B</b>	Finder 6 X 30 (8°) black	<b>111</b>
<b>TKA00562</b>	Finder bracket for 6 X 30 finder	<b>35</b>
<b>TKA00562B</b>	Finder bracket black for 6 X 30 finder	<b>35</b>
<b>TKA00552</b>	Finder 7 X 50 (6.3°)	<b>242</b>
<b>TKA00552Y</b>	Finder 7 X 50 orange color for Epsilon 180	<b>242</b>
<b>TKA00563</b>	Finder bracket for 7 X 50 finder	<b>61</b>
<b>TKA00563B</b>	Finder bracket for 7 X 50 finder black for Epsilon 180	<b>61</b>
<b>TKA00569</b>	Finder bracket for 7 X 50 finder ( BRC-250/FRC-300/CCA-250)	<b>61</b>
<b>TKA00564</b>	Finder bracket for 7 X 50 finder used on accessory holder ring	<b>61</b>

	<b>Reticle Illuminator</b>	
<b>TKA00554</b>	Reticle illuminator ( finders 7 X 50/11 X 70)	<b>96</b>
<b>TPL02000</b>	P-Light illuminator for polar finder ( P-2Z / EM-1S / EM-2 / NJP / PM-1 )	<b>107</b>
	<b>Focal reducer</b>	
<b>TKA20580B</b>	Focal reducer 0.72x n°18 for FS-60CB	<b>388</b>
<b>TKA18580</b>	76D focal reducer n°18 for FC-76 / FC-100	<b>423</b>
<b>TKA35580</b>	Reducer/corrector n°18 for Sky-90 F/5.6 to 4.5	<b>302</b>
<b>TKA19580</b>	Focal reducer 0.66x for FC-100DF and old refractors :	<b>769</b>
	FS-102 / FS-128 / FS-152 / FC-100 / FC-125	
<b>TKA36580</b>	Focal reducer QE n°18 for FSQ-106ED / FSQ-85EDX (0.73x)	<b>468</b>
<b>TKA36580L</b>	645 super reducer-QE 0.72x n°18L for FSQ-106ED/EDX4 (0.72X)	<b>1779</b>
<b>TKA38581</b>	Focal reducer QE n°18M for FSQ-106ED / FSQ-130ED (0.6x)	<b>1458</b>
<b>TKA38580</b>	Super reducer 645 n°18L for FSQ-130ED (0.7x)	<b>2058</b>
<b>TKA32580</b>	TOA-35 focal reducer 0.7x for TSA/TOA	<b>803</b>
<b>TKA70581</b>	Reducer/corrector (50.8) n°18 for Mewlon 210/180C	<b>290</b>
<b>TKA82580</b>	Focal reducer 0.73x n°18 for CCA-250/Mewlon CRS/FSQ-106EX4	<b>482</b>
<b>TKA86580L</b>	645 super reducer-CA 0.72x n°18L for CCA-250 F/D 3.6	<b>1792</b>
	<b>Flattener</b>	
<b>TKA20582</b>	Flattener F/6.2 for FS-60C/CSV/CB	<b>152</b>
<b>TKA28582</b>	Flattener 0.93x n°80 for FOA-60	<b>339</b>
<b>TKA18582</b>	76D flattener n°80 for FC-76DS/DC	<b>152</b>
<b>TKA31582</b>	Flattener n°80S for TSA-120/TOA-130	<b>359</b>
<b>TKA31583S</b>	Flattener 67-FL for TOA-130F including 80L, 82 and 83	<b>769</b>
<b>TKA32583S</b>	Flattener 67-FL for TOA-150 including 80L, 82 and 83	<b>769</b>
<b>TKA37582</b>	Flattener 1.01X for FSQ-85EDX	<b>181</b>
<b>TKA00582</b>	Multi flattener 1.04x n°80N for FS-60CB/FC-76/FC-100	<b>193</b>
	<b>Baffle unit CR for Mewlon</b>	
<b>TCR00250S</b>	Mewlon 250 CR kit complete (including 3 accessories)	<b>841</b>
	Supplied with TKP81111/TKP82110/TKP31112	
<b>TCR00300S</b>	Mewlon 300 CR kit complete (including 3 accessories)	<b>1010</b>
	Supplied with TKP83111/TKP83002/TKP31112	
	<b>Extenders barlow lenses</b>	
<b>TKA00597</b>	2X barlow lens 31.75	<b>152</b>
<b>TKA00594</b>	Extender 2x C2X n°60	<b>97</b>
<b>TKA00595</b>	Extender-Q 1.6X n°67	<b>413</b>
<b>TKA00595L</b>	Extender-Q 1.6X barlow only for FSQ-106 fluorite / Sky-90	<b>309</b>
<b>TKA36595</b>	Extender-Q 1.6X (50.8) n°60 for FSQ-106ED	<b>389</b>
<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>359</b>
<b>TKA82595</b>	Extender 1.5x for CCA-250/Mewlon 250/300 CR/CRS	<b>359</b>
	<b>Camera Angle Adjusters</b>	
<b>TKA21200</b>	Camera angle adjuster for FS-60CB/FC-76/FC-100DC	<b>181</b>
<b>TKA23200</b>	Camera angle adjuster n°6 for TSA-102/TOA-130	<b>195</b>
<b>TKP30200</b>	Camera angle adjuster n°6 for FSQ-106/TOA-130F/TOA-150	<b>193</b>
<b>TKP86200</b>	Camera angle adjuster n°6 for CCA-250	<b>286</b>
	<b>Camera Adapters</b>	

<b>TKA00210</b>	TCA-4 Camera adapter for 31.75 eyepieces	<b>190</b>
<b>TKA35201</b>	CA35 Camera coupling n°30 for Sky-90/FSQ-85EDX	<b>42</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>47</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKA19202</b>	CA ring 100 n°30L for reducer FC-35 used with FC-100DF	<b>53</b>
<b>TKA23202</b>	CA ring 102 n°30L for reducer FC-35 used with FS-102 / old FC-100	<b>53</b>
<b>TKA31202</b>	CA ring 130 n°30	<b>53</b>
	n°30S for reducer FC-35 used with FS-128 / FS-152 / FC-125	
	n°30N for reducer TOA-35 used with TOA-130	
<b>TKA32202</b>	CA ring 150 n°30N for TOA-35 used with TSA-120/TOA-130/TOA-150	<b>53</b>
<b>TKA00207</b>	50.8 sleeve for wide T mount n°35	<b>32</b>
<b>TKA00205</b>	CA35 for extender C2X n°60	<b>43</b>
<b>TKA20203</b>	Multi CA ring 60C n°80N for FS-60CB	<b>30</b>
<b>TKA18203</b>	Multi CA ring 76 n°87S for FC-76DCU/DS	<b>30</b>
<b>TKA19203</b>	Multi CA ring 100 n°88L for FC-100DC/DF	<b>30</b>
	<b>T Mounts classic</b>	
<b>TKA00223</b>	T Mount CANON EOS	<b>24</b>
<b>TKA00220</b>	T Mount NIKON	<b>24</b>
<b>TKA00224</b>	T Mount PENTAX K	<b>24</b>
<b>TKA00225</b>	T Mount MINOLTA-AF	<b>24</b>
<b>TKA00227</b>	T Mount 4/3	<b>24</b>
	<b>Wide T Mounts :</b>	
<b>TKA00233</b>	Wide T mount CANON EOS	<b>50</b>
<b>TKA00230</b>	Wide T mount NIKON	<b>50</b>
<b>TKA00234</b>	Wide T mount PENTAX K	<b>50</b>
<b>TKA00235</b>	Wide T mount MINOLTA-AF	<b>50</b>
<b>TKA00238</b>	Wide T mount 4/3	<b>50</b>
<b>TTP0001</b>	Wide T mount Sony Alpha 7 (E mount)	<b>140</b>
	<b>Wide T Mounts for FS-60CB :</b>	
<b>TKA20233</b>	Wide T mount FS-60CB CANON EOS	<b>50</b>
<b>TKA20230</b>	Wide T mount FS-60CB NIKON	<b>50</b>
<b>TKA20234</b>	Wide T mount FS-60CB PENTAX K	<b>50</b>
<b>TKA20235</b>	Wide T mount FS-60CB MINOLTA-AF	<b>50</b>
<b>TKA20237</b>	Wide T mount FS-60CB 4/3	<b>50</b>
	<b>T Mounts DX-S Premium</b>	
<b>TKA01250</b>	T Mount DX-S Premium CANON EOS	<b>96</b>
<b>TKA01254</b>	T Mount DX-S Premium NIKON	<b>96</b>
	<b>Wide T Mounts DX-WR Premium</b>	
<b>TKA01251</b>	Wide T mount DX-WR Premium CANON-EOS	<b>107</b>
<b>TKA01255</b>	Wide T mount DX-WR Premium NIKON	<b>107</b>
	<b>Wide T Mounts DX-WR Premium for FS-60</b>	
<b>TKA20245</b>	Wide T mount DX-WR Premium CANON-EOS for FS-60	<b>107</b>
<b>TKA20246</b>	Wide T mount DX-WR Premium NIKON for FS-60	<b>107</b>
	<b>Adapter to convert T ring to wide T ring classic</b>	
<b>TKA00242</b>	Adapter T to wide T Canon EOS	<b>32</b>
<b>TKA00240</b>	Adapter T to wide T all brands (except Canon and Olympus)	<b>32</b>

	<b>Adapter to convert T ring to wide T ring FS-60</b>	
<b>TKA20242</b>	Adapter T to wide T Canon EOS (FS-60)	<b>32</b>
<b>TKA20240</b>	Adapter T to wide T all brands (except Canon and Olympus) (FS-60)	<b>29</b>
	<b>Guiding Mounts</b>	
<b>TAZ70110</b>	AZ fine movement stage (black)	<b>284</b>
<b>TAZ70120</b>	AZ fine movement stage (light blue)	<b>284</b>
<b>TGT04000</b>	Guiding scope GT-40	<b>272</b>
<b>TGT04010</b>	L-clamp for guiding scope GT-40	<b>107</b>
	<b><u>Specific accessories (system chart)</u></b>	
	<b>For FS-60C / FS-60CSV / FS-60CB</b>	
<b>TKA21200</b>	Camera angle adjuster for FS-60CB/FC-76/FC-100DC	<b>181</b>
<b>TKA20582</b>	Flattener F/6.2 for FS-60C/CSV/CB	<b>152</b>
<b>TKA20583</b>	Extension tube (FL) n°82	<b>33</b>
<b>TKP20005</b>	Visual adapter n°15	<b>15</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP00104</b>	Coupling (L) n°14	<b>14</b>
<b>TKP20001</b>	Aux. Ring n°16	<b>24</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>42</b>
<b>TKA00594</b>	Extender 2x C2X n°60	<b>107</b>
<b>TKA00205</b>	CA35 for extender C2X n°60	<b>43</b>
<b>TKA21110</b>	Eyepiece holder 50.8 (FS-60C/FS-78)	<b>54</b>
<b>TKA20580B</b>	Focal reducer 0.72x n°18 for FS-60CB	<b>427</b>
<b>TKP20006B</b>	Coupling DT n°81	<b>24</b>
<b>TKA00582</b>	Multi flattener 1.04x n°80N for FS-60CB/FC-76/FC-100	<b>212</b>
<b>TKA20203</b>	Multi CA ring 60C n°80N for FS-60CB	<b>30</b>
	<b>For FOA-60</b>	
<b>TKP28001</b>	Adapter n°10 for FOA-60 50.8 eyepiece holder	<b>60</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>42</b>
<b>TKP35110</b>	Eyepiece holder 50.8 n°69	<b>42</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>29</b>
<b>TKP00104</b>	Coupling (L) n°14	<b>13</b>
<b>TKP20005</b>	Visual adapter n°15	<b>14</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>83</b>
<b>TKA36595</b>	Extender-Q 1.6X (50.8) n°60 for FSQ-106ED	<b>428</b>
<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>395</b>
<b>TKA28595</b>	FOA-60 to FOA-60Q upgrade kit (extender R 1.7x)	<b>586</b>
<b>TKA28582</b>	Flattener 0.93x n°80 for FOA-60	<b>373</b>
	<b>For FC-76DS / FC-76DC</b>	
<b>TKA21200</b>	Camera angle adjuster for FS-60CB/FC-76/FC-100DC	<b>181</b>
<b>TKP35001</b>	Coupling n°10	<b>29</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00104</b>	Coupling (L) n°14	<b>14</b>
<b>TKP20005</b>	Visual adapter n°15	<b>15</b>
<b>TKP20001</b>	Aux. Ring n°16	<b>24</b>
<b>TKA18580</b>	76D focal reducer n°18 for FC-76 / FC-100	<b>465</b>
<b>TKA00205</b>	CA35 for extender C2X n°60	<b>43</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA00594</b>	Extender 2x C2X n°60	<b>97</b>
<b>TKA00586</b>	Vari-tube (L) n°61-A	<b>40</b>

<b>TKA00587</b>	Vari-tube (S) n°61-B	<b>30</b>
<b>TKA00588</b>	Adapter (EX-Q) n°62	<b>40</b>
<b>TKA00590</b>	EC ring n°65	<b>15</b>
<b>TKA00596</b>	50.8 adapter (EX-Q) n°66	<b>32</b>
<b>TKA00595</b>	Extender-Q 1.6X n°67	<b>454</b>
<b>TKP35110</b>	Eyepiece holder 50.8 n°69	<b>46</b>
<b>TKP27112</b>	Extension tube 62mm 50.8 n°71	<b>40</b>
<b>TKA18582</b>	76D flattener n°80 for FC-76DS/DC	<b>152</b>
<b>TKP20006B</b>	Coupling DT n°81	<b>24</b>
<b>TKA20583</b>	Extension tube (FL) n°82	<b>33</b>
<b>TKA00582</b>	Multi flattener 1.04x n°80N for FS-60CB/FC-76/FC-100	<b>212</b>
<b>TKA18203</b>	Multi CA ring 76 n°87S for FC-76DCU/DS	<b>30</b>
	<b>For FS-78</b>	
<b>TKA21200</b>	Camera angle adjuster for FS-60CB/FC-76/FC-100DC	<b>181</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA21110</b>	Eyepiece holder 50.8 (FS-60C/FS-78)	<b>54</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKA00207</b>	50.8 sleeve for wide T mount n°35	<b>29</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
	<b>For FSQ-85EDX</b>	
<b>TKA23200</b>	Camera angle adjuster n°6 for TSA-102/TOA-130	<b>195</b>
<b>TKP37001</b>	Coupling (DT) n°10	<b>32</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKA36580</b>	Focal reducer QE n°18 for FSQ-106ED / FSQ-85EDX (0.73x)	<b>515</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>47</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA23250</b>	Aux. Ring (FB) n°50 (52mm length)	<b>29</b>
<b>TKP27110S</b>	Eyepiece holder 50.8 (FSQ-106EDX4 / FSQ-85EDX) n°70S	<b>49</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>21</b>
<b>TKA35201</b>	CA35 Camera coupling n°30 for Sky-90/FSQ-85EDX	<b>42</b>
<b>TKP35110</b>	Eyepiece holder 50.8 n°69	<b>46</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>21</b>
<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>395</b>
	<b>For Sky-90</b>	
<b>TKA21200</b>	Camera angle adjuster for FS-60CB/FC-76/FC-100DC	<b>181</b>
<b>TKP35001</b>	Coupling n°10	<b>32</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>13</b>
<b>TKA35580</b>	Reducer/corrector n°18 for Sky-90 F/5.6 to 4.5	<b>302</b>
<b>TKA35201</b>	CA35 Camera coupling n°30 for Sky-90/FSQ-85EDX	<b>42</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKP35110</b>	Eyepiece holder 50.8 n°69	<b>46</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKP27112</b>	Extension tube 62mm 50.8 n°71	<b>40</b>
<b>TKP22005</b>	Extension tube (DT) n°81	<b>24</b>
<b>TKA00595</b>	Extender-Q 1.6X n°67	<b>454</b>
<b>TKA00595L</b>	Extender-Q 1.6X barlow only for FSQ-106 fluorite / Sky-90	<b>339</b>
<b>TKA00586</b>	Vari-tube (L) n°61-A	<b>40</b>
<b>TKA00587</b>	Vari-tube (S) n°61-B	<b>30</b>
<b>TKA00588</b>	Adapter (EX-Q) n°62	<b>40</b>
<b>TKA00590</b>	EC ring n°65	<b>15</b>
<b>TKA00596</b>	50.8 adapter (EX-Q) n°66	<b>29</b>

	<b>For FC-100DC</b>	
<b>TKA21200</b>	Camera angle adjuster for FS-60CB/FC-76/FC-100DC	<b>181</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP00104</b>	Coupling (L) n°14	<b>14</b>
<b>TKP20005</b>	Visual adapter n°15	<b>15</b>
<b>TKP20001</b>	Aux. Ring n°16	<b>24</b>
<b>TKA18580</b>	76D focal reducer n°18 for FC-76 / FC-100	<b>465</b>
<b>TKA00205</b>	CA35 for extender C2X n°60	<b>39</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA00594</b>	Extender 2x C2X n°60	<b>107</b>
<b>TKA00586</b>	Vari-tube (L) n°61-A	<b>40</b>
<b>TKA00587</b>	Vari-tube (S) n°61-B	<b>30</b>
<b>TKA00588</b>	Adapter (EX-Q) n°62	<b>40</b>
<b>TKA00590</b>	EC ring n°65	<b>15</b>
<b>TKA00596</b>	50.8 adapter (EX-Q) n°66	<b>32</b>
<b>TKA00595</b>	Extender-Q 1.6X n°67	<b>454</b>
<b>TKA18582</b>	76D flattener n°80 for FC-76DS/DC	<b>152</b>
<b>TKP20006B</b>	Coupling DT n°81	<b>24</b>
<b>TKA20583</b>	Extension tube (FL) n°82	<b>33</b>
<b>TKA00582</b>	Multi flattener 1.04x n°80N for FS-60CB/FC-76/FC-100	<b>212</b>
<b>TKA19203</b>	Multi CA ring 100 n°88L for FC-100DC/DF	<b>30</b>
	<b>For FC-100DF</b>	
<b>TKA23200</b>	Camera angle adjuster n°6 for TSA-102/TOA-130	<b>178</b>
<b>TKP19001</b>	Coupling n°10	<b>39</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP86005</b>	Visual adapter n°12	<b>61</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00104</b>	Coupling (L) n°14	<b>14</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP20005</b>	Visual adapter n°15	<b>15</b>
<b>TKA19205</b>	M72/M55.9 coupling n°17	<b>43</b>
<b>TKA18580</b>	76D focal reducer n°18 for FC-76 / FC-100	<b>465</b>
<b>TKA19580</b>	Focal reducer 0.66x for FC-100DF and old refractors :	<b>846</b>
<b>TKA19202</b>	CA ring 100 n°30L for reducer FC-35 used with FC-100DF	<b>48</b>
<b>TKA00205</b>	CA35 for extender C2X n°60	<b>43</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA00594</b>	Extender 2x C2X n°60	<b>97</b>
<b>TKA00586</b>	Vari-tube (L) n°61-A	<b>40</b>
<b>TKA00587</b>	Vari-tube (S) n°61-B	<b>30</b>
<b>TKA00588</b>	Adapter (EX-Q) n°62	<b>40</b>
<b>TKA00590</b>	EC ring n°65	<b>14</b>
<b>TKA00596</b>	50.8 adapter (EX-Q) n°66	<b>29</b>
<b>TKA00595</b>	Extender-Q 1.6X n°67	<b>454</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKP27112</b>	Extension tube 62mm 50.8 n°71	<b>40</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA31582</b>	Flattener n°80S for TSA-120/TOA-130	<b>395</b>
<b>TKA20583</b>	Extension tube (FL) n°82	<b>33</b>
<b>TKA00582</b>	Multi flattener 1.04x n°80N for FS-60CB/FC-76/FC-100	<b>212</b>
<b>TKA19203</b>	Multi CA ring 100 n°88L for FC-100DC/DF	<b>30</b>
	<b>For TSA-102/120</b>	
<b>TKA32580</b>	TOA-35 focal reducer 0.7x for TSA/TOA	<b>884</b>
<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>395</b>
<b>TKA23200</b>	Camera angle adjuster n°6 for TSA-102/TOA-130	<b>195</b>
<b>TKP00106</b>	Extension tube (L) n°12	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>

<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>47</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKA31582</b>	Flattener n°80S for TSA-120/TOA-130	<b>395</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKA31202</b>	CA ring 130 n°30	<b>53</b>
<b>TKA23250</b>	Aux. Ring (FB) n°50 (52mm length)	<b>32</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
	<b>For FSQ-106 fluorite</b>	
<b>TKP30200</b>	Camera angle adjuster n°6 for FSQ-106/TOA-130F/TOA-150	<b>212</b>
<b>TKP30003</b>	Coupling (TW) n°8	<b>18</b>
<b>TKP30005</b>	Coupling n°10	<b>24</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA27250</b>	Aux. Ring (FB) n°50 (62mm length)	<b>32</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKA30545</b>	Coupling (DM) n° 76 to use 50.8 diagonal mirror with FSQ-106/EDX3	<b>32</b>
<b>TKA00595</b>	Extender-Q 1.6X n°67	<b>454</b>
<b>TKA00595L</b>	Extender-Q 1.6X barlow only for FSQ-106 fluorite / Sky-90	<b>309</b>
<b>TKA00586</b>	Vari-tube (L) n°61-A	<b>37</b>
<b>TKA00587</b>	Vari-tube (S) n°61-B	<b>30</b>
<b>TKA00588</b>	Adapter (EX-Q) n°62	<b>40</b>
<b>TKA00590</b>	EC ring n°65	<b>15</b>
<b>TKA00596</b>	50.8 adapter (EX-Q) n°66	<b>32</b>
	<b>For FSQ-106ED</b>	
<b>TKP30003</b>	Coupling (TW) n°8	<b>18</b>
<b>TKP36001</b>	Coupling (DT) n°10	<b>32</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKA36580</b>	Focal reducer QE n°18 for FSQ-106ED / FSQ-85EDX (0.73x)	<b>515</b>
<b>TKA36580L</b>	645 super reducer-QE 0.72x n°18L for FSQ-106ED/EDX4 (0.72X)	<b>1957</b>
<b>TKA31581</b>	Vari-ring n°19	<b>15</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>43</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA36595</b>	Extender-Q 1.6X (50.8) n°60 for FSQ-106ED	<b>428</b>
<b>TKP35110</b>	Eyepiece holder 50.8 n°69	<b>46</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKA36205</b>	Aux. Ring n°81	<b>76</b>
<b>TKA38582</b>	Aux. Ring n°84 for F/3 focal reducer	<b>79</b>
	<b>Adapters for 645 super reducer-QE 0.72x used on FSQ-106ED/EDX</b>	
<b>TKP86200</b>	Camera angle adjuster n°6 for CCA-250	<b>314</b>
<b>TKP86003</b>	Coupling (TW) n°8	<b>101</b>
<b>TKP86005</b>	Visual adapter n°12	<b>61</b>
<b>TKA36581</b>	645 RD adapter n°82	<b>53</b>
<b>TKA36582</b>	645 RD aux. ring n°83	<b>53</b>
	<b>For FSQ-106EDX3</b>	
	FSQ-106EDX3 is the US version of FSQ-106ED using the camera angle adjuster coming from TOA-130F/TOA-150.	
	The following accessories are required to use FSQ-106ED as FSQ-106EDX3.	

	Visual and photographic accesories are different from FSQ-106ED.	
<b>TKT36001</b>	Coupling (CAA) n°5	<b>21</b>
<b>TKP30200</b>	Camera angle adjuster n°6 for FSQ-106/TOA-130F/TOA-150	<b>193</b>
<b>TKP30003</b>	Coupling (TW) n°8	<b>16</b>
<b>TKP23001</b>	Coupling n°10	<b>32</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKT36002</b>	RD adapter (CAA) n°17	<b>46</b>
<b>TKA36580</b>	Focal reducer QE n°18 for FSQ-106ED / FSQ-85EDX (0.73x)	<b>468</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>47</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKA30545</b>	Coupling (DM) n° 76 to use 50.8 diagonal mirror with FSQ-106/EDX3	<b>32</b>
<b>TKA26583</b>	Extension tube n°82 for TOA-150/FSQ-106EDX3	<b>29</b>
	<b>For FSQ-106EDX4</b>	
<b>TKP86200</b>	Camera angle adjuster n°6 for CCA-250	<b>314</b>
<b>TKP86003</b>	Coupling (TW) n°8	<b>101</b>
<b>TKP38003</b>	Coupling (TW) n°8	<b>103</b>
<b>TKP86005</b>	Visual adapter n°12	<b>61</b>
<b>TKA82580</b>	Focal reducer 0.73x n°18 for CCA-250/Mewlon CRS/FSQ-106EX4	<b>531</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA35201</b>	CA35 Camera coupling n°30 for Sky-90/FSQ-85EDX	<b>42</b>
<b>TKA36580L</b>	645 super reducer-QE 0.72x n°18L for FSQ-106ED/EDX4 (0.72X)	<b>1957</b>
<b>TKA38581</b>	Focal reducer QE n°18M for FSQ-106ED / FSQ-130ED (0.6x)	<b>1604</b>
<b>TKA36595</b>	Extender-Q 1.6X (50.8) n°60 for FSQ-106ED	<b>428</b>
<b>TKP27110S</b>	Eyepiece holder 50.8 (FSQ-106EDX4 / FSQ-85EDX) n°70S	<b>54</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA38205</b>	Aux. Ring (S) n°81S	<b>94</b>
<b>TKA36581</b>	645 RD adapter n°82	<b>53</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>83</b>
	<b>For FSQ-130ED</b>	
<b>TKA38205</b>	Aux. Ring (S) n°81S	<b>86</b>
<b>TKA38206</b>	Aux. Ring (L) n°81L	<b>140</b>
<b>TKP38003</b>	Coupling (TW) n°8	<b>103</b>
<b>TKP38001</b>	Coupling n°10	<b>114</b>
<b>TKP86003</b>	Coupling (TW) n°8	<b>101</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA36580</b>	Focal reducer QE n°18 for FSQ-106ED / FSQ-85EDX (0.73x)	<b>515</b>
<b>TKA38580</b>	Super reducer 645 n°18L for FSQ-130ED (0.7x)	<b>2264</b>
<b>TKA36595</b>	Extender-Q 1.6X (50.8) n°60 for FSQ-106ED	<b>428</b>
<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>359</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA35201</b>	CA35 Camera coupling n°30 for Sky-90/FSQ-85EDX	<b>38</b>
<b>TKP35110</b>	Eyepiece holder 50.8 n°69	<b>46</b>
	<b>For TOA-130NS</b>	
<b>TKA23200</b>	Camera angle adjuster n°6 for TSA-102/TOA-130	<b>195</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>



<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>395</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA31582</b>	Flattener n°80S for TSA-120/TOA-130	<b>395</b>
<b>TKA31581</b>	Vari-ring n°19	<b>15</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>43</b>
<b>TKA23250</b>	Aux. Ring (FB) n°50 (52mm length)	<b>32</b>
<b>TKA32202</b>	CA ring 150 n°30N for TOA-35 used with TSA-120/TOA-130/TOA-150	<b>53</b>
	<b>For TOA-130NFB/TOA-150B</b>	
<b>TKP30200</b>	Camera angle adjuster n°6 for FSQ-106/TOA-130F/TOA-150	<b>193</b>
<b>TKP31003</b>	Coupling (TW) n°8	<b>16</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>14</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKA31586</b>	Adapter n°17 to use reducer with F/5.3	<b>24</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA37595</b>	Extender-ED 1.5x n°60 for FSQ-85EDX / TSA-120 / TOA-130 / TOA-150	<b>395</b>
<b>TKP27110</b>	Eyepiece holder 50.8 n°70 TSA-102/120	<b>46</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>32</b>
<b>TKA31582</b>	Flattener n°80S for TSA-120/TOA-130	<b>395</b>
<b>TKA31583</b>	Flattener n°80L for TOA-130F/TOA-150	<b>806</b>
<b>TKA31583S</b>	Flattener 67-FL for TOA-130F including 80L, 82 and 83	<b>846</b>
<b>TKA32583S</b>	Flattener 67-FL for TOA-150 including 80L, 82 and 83	<b>846</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>47</b>
<b>TKA31202</b>	CA ring 130 n°30	<b>53</b>
<b>TKA23250</b>	Aux. Ring (FB) n°50 (52mm length)	<b>32</b>
<b>TKA27250</b>	Aux. Ring (FB) n°50 (62mm length)	<b>32</b>
<b>TKA31584</b>	Extension tube n°82 for TOA-130F	<b>32</b>
<b>TKA26583</b>	Extension tube n°82 for TOA-150/FSQ-106EDX3	<b>32</b>
<b>TKA31585</b>	Coupling n°83	<b>15</b>
	<b>For Epsilon 130-D</b>	
<b>TKP69005</b>	Visual adapter n°10	<b>62</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKA00442</b>	Collimating tube for Newtonian	<b>40</b>
<b>TKA00441</b>	Collimating eyepiece 31.75	<b>38</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
	<b>For Epsilon 180-ED</b>	
<b>TKP68005</b>	Visual adapter n°10	<b>32</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>13</b>
<b>TKA00442</b>	Collimating tube for Newtonian	<b>37</b>
<b>TKA00441</b>	Collimating eyepiece 31.75	<b>42</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>42</b>
<b>TKA61250</b>	Aux. Ring (FB) n°50	<b>32</b>
	<b>For CCA-250</b>	
<b>TKP86200</b>	Camera angle adjuster n°6 for CCA-250	<b>314</b>
<b>TKP86003</b>	Coupling (TW) n°8	<b>101</b>
<b>TKP86005</b>	Visual adapter n°12	<b>61</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>14</b>
<b>TKP86002</b>	Aux. Ring n°16	<b>82</b>
<b>TKA82580</b>	Focal reducer 0.73x n°18 for CCA-250/Mewlon CRS/FSQ-106EX4	<b>531</b>
<b>TKA86580L</b>	645 super reducer-CA 0.72x n°18L for CCA-250 F/D 3.6	<b>1971</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA82595</b>	Extender 1.5x for CCA-250/Mewlon 250/300 CR/CRS	<b>395</b>
<b>TKA86205</b>	RD-EXT Aux. Ring n°81	<b>114</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>91</b>
<b>TKA86596</b>	EXT coupling n°82	<b>94</b>

	<b>For Mewlon 180/210/250/300</b>	
<b>TKA00705</b>	Universal rack and pinion focuser (50.8) for Mewlon 180/210	
<b>TSC00100</b>	Mewlon to Schmidt-Cassegrain converter	<b>43</b>
<b>TKA00721</b>	Tapered ring n°2	<b>32</b>
<b>TKA00723</b>	Coupling (AD) n°3	<b>15</b>
<b>TKA00724</b>	Coupling n°4	<b>15</b>
<b>TKP73110</b>	50.8 adapter n°5	<b>32</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>24</b>
<b>TKP00105</b>	Extension tube (S) n°11	<b>15</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>14</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>13</b>
<b>TKA00206</b>	Prime focus ring n°30	<b>14</b>
<b>TKA00207</b>	50.8 sleeve for wide T mount n°35	<b>29</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>46</b>
<b>TKA70110</b>	50.8 adapter short (TV) for twin viewer n°69	<b>46</b>
<b>TKP00110</b>	50.8 Sleeve adapter ( n°70 ) for Mewlon/CN-212	<b>61</b>
<b>TKA00111</b>	Adapter (DM) 50.8/31.75 n°75	<b>21</b>
	<b>For Mewlon 250 CR</b>	
<b>TKP81111</b>	M71-M72 adapter n°10	<b>80</b>
<b>TKP82110</b>	Eyepiece holder 50.8 n°70	<b>46</b>
<b>TKA82580</b>	Focal reducer 0.73x n°18 for CCA-250/Mewlon CRS/FSQ-106EX4	<b>531</b>
<b>TKA82595</b>	Extender 1.5x for CCA-250/Mewlon 250/300 CR/CRS	<b>395</b>
	<b>For Mewlon 250 CRS</b>	
<b>TKA23200</b>	Camera angle adjuster n°6 for TSA-102/TOA-130	<b>195</b>
<b>TKP84111</b>	M92-M72 adapter n°10	<b>62</b>
<b>TKP82110</b>	Eyepiece holder 50.8 n°70	<b>46</b>
<b>TKA82580</b>	Focal reducer 0.73x n°18 for CCA-250/Mewlon CRS/FSQ-106EX4	<b>531</b>
<b>TKA82595</b>	Extender 1.5x for CCA-250/Mewlon 250/300 CR/CRS	<b>395</b>
<b>TKP00113</b>	50.8 sleeve n°13	<b>15</b>
<b>TKP00103</b>	Coupling (S) n°14	<b>13</b>
<b>TKP00101</b>	Eyepiece holder 31.75 n°46	<b>42</b>
<b>TKP83002</b>	Aux. Ring n°16	<b>42</b>
<b>TKA23201</b>	CA35 Camera coupling n°30 for TOA-130/TSA-102	<b>43</b>
<b>TKA35201</b>	CA35 Camera coupling n°30 for Sky-90/FSQ-85EDX	<b>38</b>
<b>TKP31112</b>	Extension tube 73mm (L) 50.8 n°71L	<b>29</b>
<b>TKA31201</b>	CA35 n°35 photo adapter 50.8	<b>83</b>
	<b>For Mewlon 300 CRS</b>	
<b>TKP83111</b>	M90-M72 adapter n°10	<b>57</b>
<b>TKP83002</b>	Aux. Ring n°16	<b>42</b>
<b>TKA83205</b>	RD-EXT aux. Ring n°81	<b>42</b>
<b>TKA82580</b>	Focal reducer 0.73x n°18 for CCA-250/Mewlon CRS/FSQ-106EX4	<b>482</b>
<b>TKA82595</b>	Extender 1.5x for CCA-250/Mewlon 250/300 CR/CRS	<b>359</b>
	<b>All prices in pounds Sterling</b>	
	<b>Warranty – telescope/refractor optics – 5 years, accessories 2 years</b>	
	<b>Warranty - 1 year for electronic items</b>	
	<b>Title to goods supplied remains with Trutek Astro until payment is cleared in full</b>	